

AMENDMENTS TO THE CLAIMS AND ADDED CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims

C1 Cont
Claim 1 (Currently amended): ~~A video camera~~ An image pickup apparatus having an approximately rectangular parallelepiped shape extending longer in a height direction of a body thereof in an image pickup state, said ~~video camera~~ image pickup apparatus comprising:

a display part of an approximately rectangular shape disposed on a side face of the ~~video camera~~ image pickup apparatus body and having a display plane to display a picked-up image; and

a moving member for enabling said display part to move between a first position in which said display part makes the picked-up image viewable and a second position in which said display part is stowed in the ~~video camera~~ image pickup apparatus body,

wherein, when said display part is in the second position, an image pickup optical axis of the ~~video camera~~ image pickup apparatus body is approximately parallel with said display plane and a major-side direction of said display plane coincides with a major-side direction of the ~~video camera~~ image pickup apparatus body, and when said display part is in the first position, a minor-side direction of said display plane coincides with the major-side direction of the ~~video camera~~ image pickup apparatus body.

Claim 2 (Currently amended): ~~A video camera~~ An image pickup apparatus according to claim 1, wherein, when said display part is in the first position, an image pickup optical axis of the ~~video camera~~ image pickup apparatus body is approximately perpendicular to the display plane of said display part.

C1
Cont

Claim 3 (Currently amended): ~~A video camera~~ An image pickup apparatus according to claim 1, wherein, when said display part is in the first position, an image pickup optical axis of the ~~video camera~~ image pickup apparatus body is approximately perpendicular with the display plane of said display part.

Claim 4 (Currently amended): ~~A video camera~~ An image pickup apparatus according to claim 1, wherein a length of said display part in the direction parallel with a minor-side direction of said display plane is approximately equal to a length in a minor-side direction of the ~~video camera~~ image pickup apparatus body.

Claim 5 (Currently amended): ~~A video camera~~ An image pickup apparatus according to claim 1, further comprising:

a sound output device which outputs a sound in company with display of a reproduced image at said display part,

wherein said sound output device is disposed at a lower portion of the side face of said ~~video camera~~ image pickup apparatus body on which said display part is connected to the ~~video camera~~ image pickup apparatus body, and is arranged to be exposed outside when said display part is in the first position and to be covered by said display part when said display part is in the second position.

Claim 6 (Currently amended): ~~A video camera~~ An image pickup apparatus according to claim 1, further comprising:

a sound-volume adjusting device which adjusts volume of a sound outputted in company with display of a reproduced image at said display part,

wherein said sound-volume adjusting device is disposed at a lower portion of the side face of said ~~video camera~~ image pickup apparatus body on which said display part is

Q1
cont

connected to the ~~video-camera~~ image pickup apparatus body, and is arranged to be exposed outside when said display part is in the first position and to be covered by said display part when said display part is in the second position.

Claim 7 (Currently amended): ~~A video-camera~~ An image pickup apparatus according to claim 1, further comprising:

an operation device operable for displaying a reproduced image at said display part, wherein said operation device is disposed at a lower portion of the side face of said ~~video-camera~~ image pickup apparatus body on which said display part is connected to the ~~video-camera~~ image pickup apparatus body, and is arranged to be exposed outside when said display part is in the first position and to be covered by said display part when said display part is in the second position.

Claim 8 (Currently amended): ~~A video-camera~~ An image pickup apparatus according to claim 1, wherein said moving member is connected to a minor side of said display part at a position which deviates from a center line of the minor side of said display part.

Claim 9 (Currently amended): ~~A video-camera~~ An image pickup apparatus having approximately rectangular parallelepiped shape extending longer in a height direction of a body thereof in an image pickup state, said ~~video-camera~~ image pickup apparatus comprising:

a display part of an approximately rectangular shape disposed on a side face of the ~~video-camera~~ image pickup apparatus body to display a picked-up image, the side face of the ~~video-camera~~ image pickup apparatus body is approximately parallel with an image pickup optical axis of the ~~video-camera~~ image pickup apparatus body;

a first member for enabling said display part to rotate around a first shaft approximately parallel with an incident optical axis from a state where a major-side direction

of said display part is situated approximately parallel with a major-side direction of the ~~video camera~~ image pickup apparatus body; and

C1
Cont
a second member for enabling said display part to rotate around a second shaft perpendicular to the incident optical axis in such a state that said display part has rotated approximately 90 degrees from the state where the major-side direction of said display part is situated approximately parallel with the major-side direction of the ~~video camera~~ image pickup apparatus body.

Claim 10 (Currently amended): ~~A video camera~~ An image pickup apparatus according to claim 9, wherein said second member includes:

a rotating member disposed at a central portion of a side face along a minor side of said display part; and

a sliding member fixed to the ~~video camera~~ image pickup apparatus body and arranged to slide along a guide member of the side face of said display part.

Claim 11 (Currently amended): ~~A video camera~~ An image pickup apparatus according to claim 10, wherein said display part is made rotatable when said rotating member and said sliding member fittingly engage with each other.

Claim 12 (Currently amended): ~~A video camera~~ An image pickup apparatus according to claim 9, further comprising:

a detection device which detects the state where the major-side direction of said display part is situated approximately parallel with the major-side direction the ~~video camera~~ image pickup apparatus body; and

a control circuit which causes said display part to display an image with a minor-side direction of said display part put on a horizontal plane, when the state where the major-side

direction of said display part is situated approximately parallel with the major-side direction the ~~video-camera~~ image pickup apparatus body is detected by said detection device.

C1
Cath
Claim 13 (Withdrawn): ~~A video-camera~~ An image pickup apparatus having an approximately rectangular parallelepiped shaped extending longer in a height direction of a body thereof in an image pickup state, said ~~video-camera~~ image pickup apparatus comprising:

display means having a display image plane of an approximately rectangular shape and disposed such that a major-side direction of the display image plane coincides with a major-side direction of the ~~video-camera~~ image pickup apparatus body; and

display control means having a first mode of causing said display means to display an image with the major-side direction of the display image plane of said display means put on a horizontal plane and a second mode of causing said display means to display an image with a minor-side direction of the display image plane of said display means put on a horizontal plane.

Claim 14 (Withdrawn): ~~A video-camera~~ An image pickup apparatus according to claim 13, wherein said display control means causes said display means to display an image in the first mode when the image is based on image data stored in storage means, and causes said display means to display an image in the second mode when the image is based on an image signal outputted from an image sensor.

Claim 15 (Withdrawn): ~~A video-camera~~ An image pickup apparatus according to claim 13, further comprising:

designation means for designating an image area to be displayed on the display image plane of said display means in the second mode.

C1
Cont

Claim 16 (Withdrawn): ~~A video camera~~ An image pickup apparatus according to claim 15, wherein said display control means causes said display means to display an image in such an enlarged state that a length in a vertical direction of the image becomes approximately equal to a length in the major-side direction of the display image plane of said display means.

Claim 17 (Withdrawn): ~~A video camera~~ An image pickup apparatus according to claim 13, wherein said display control means causes, in the second mode, said display means to display an image in such a state that a length in a horizontal direction of the image is approximately equal to a length in the minor-side direction of the display image plane of said display means, and causes said display means to display operation items operable for an image pickup operation in a vacant area of the display image plane.

Claim 18 (Withdrawn): ~~A video camera~~ An image pickup apparatus according to claim 17, further comprising:

a touch panel disposed on the display image plane of said display means for detecting an instruction given to an operation item displayed on the display image plane of said display means in the second mode.

Claim 19 (Withdrawn): ~~A video camera~~ An image pickup apparatus according to claim 13, wherein said display control means causes, in the first mode, said display means to display, in a vacant area on the display image plane, operation items operable for an image reproducing and displaying operation.

Claim 20 (Withdrawn): ~~A video camera~~ An image pickup apparatus according to claim 19, further comprising:

C1
C2

a touch panel disposed on the display image plane of said display means for detecting an instruction given to an operation item displayed on the display image plane of said display means in the second mode.

Claim 21 (Currently amended): ~~A video-camera~~ An image pickup apparatus comprising:

a display part disposed on a side face of the ~~video-camera~~ image pickup apparatus body and having a display plane to display a picked-up image; and

a moving member for enabling said display part to move between a first position in which said display part makes the picked-up image viewable and a second position in which said display part is stowed in the ~~video-camera~~ image pickup apparatus body,

wherein, said moving member comprises a first member for enabling said display part to rotate around a first shaft from a state where said display part is in the first position, and a second member for enabling said display part to rotate around a second shaft different from said first shaft in such a state that said display part has rotated from the state where said display part is in the first position,

when said display part is in the second position, an image pickup optical axis of the ~~video-camera~~ image pickup apparatus body is approximately parallel with said display plane and a minor-side direction of said display plane, and when said display part is in the first position, said image pickup optical axis of the ~~video-camera~~ image pickup apparatus body is approximately perpendicular with said display plane, and

wherein said first shaft is approximately parallel with an incident optical axis and said second shaft is approximately perpendicular to the incident optical axis.

Cancel claims 22-25.

Add claims 26-29 as follows:

Claim 26 (New): An image pickup apparatus including a lens portion for converging an object image comprising:

a display part including a display face for displaying a picked-up image;

a body including a first operation face having a first operation member for reproducing the picked-up image on said display face, wherein said operation member is operated by an operator who uses said image pickup apparatus; and

a moving member for moving said display part to a first position in which the first operation face of said body is covered by said display part, and a second position in which said first operation face is not covered by said display part and is exposed outside;

wherein when said display part is in the first position, a major-side direction of said display part substantially coincides with a major-side direction of said body, and said display part is in the second position when said display part moved toward an upper side in said first operation face.

Claim 27 (New): An image pickup apparatus according to Claim 26, further comprising:

a second operation member located on a second operation face of said body, wherein said second operation member is used when picking up image, and said second operation face adjoins said first operation face and is exposed outside regardless of the position of said display part.

Claim 28 (New): An image pickup apparatus according to Claim 27, wherein said moving member has a structure that rotates said display part around a shaft facing a minor-side direction of said first operation face.

*C. 1
Cand*

Claim 29 (New): An image pickup apparatus according to Claim 26, wherein said moving member has a structure that rotates said display part around a shaft facing a minor-side direction of said first operation face.